## **GYMNASTICS** SAFETY

A PARENT'S GUIDE FOR KEEPING KIDS IN THE GAME

Gymnastics injuries send more than 26,000 young athletes to the emergency room each year. As the complexity of routines increases, so does the athlete's risk of injury. This reference guide provides information on the most common gymnastics injuries that require treatment.

### ANKLE INJURIES

The most common injury in sports is a **lateral ankle sprain**, which occurs in cheerleading by rolling the ankle over the outside of the foot. A lateral ankle sprain causes damage to the ligaments just below the

bone on the outside of the ankle. In some cases a "pop" is felt or heard by the athlete. Treatment varies with the severity of the injury:

- Mild sprains require rest but not necessarily medical treatment.
- Injuries with persistent swelling, pain or any deformity should be seen by a physician.

### **KNEE INJURIES**

A common injury in flag football is an **anterior cruciate ligament (ACL) sprain or tear**, which occurs when the knee is twisted forcefully or hyperextended. Athletes with a damaged ACL often describe a "pop" at the time of injury, followed by a lot of swelling within a few hours.

Athletes should see a pediatrician or pediatric sports medicine physician if pain and/or swelling persist. In addition:

- In younger athletes, bone maturity helps to determine the treatment plan. Injury to an open growth plate requires special consideration by a pediatric orthopedic specialist.
- Core strengthening and training in proper cutting, jumping and landing technique may help to prevent this injury.

Knee pain that comes on slowly over time can indicate other problems, such as:

 Patello-femoral pain syndrome (Runner's Knee)

 pain in the front of the knee related to muscle and tissue stress around the knee cap. This can be addressed with proper training in physical therapy.

- Osteochondritis dissecans a defect in the knee's cartilage that can become evident over time during repetitive activity
- **Osgood-schlatter disease** stress-related inflammation in a growth center at the front of the knee

### **UPPER BODY INJURIES**

Shoulder and wrist injuries are common in gymnastics because the upper body is required to bear the body's full weight during routines. A wide range of injuries can occur to these joints.

Gymnasts can suffer overuse injuries to their shoulders when they repeatedly use their shoulders as a weight-bearing joint. Overuse injuries occur when tissue is damaged by repetitive-motion activities over time. Without adequate time for recovery, the tissue cannot adapt to the demands placed on it and further damage is likely. Common shoulder injuries in gymnastics include:

- Shoulder instability the ligaments and capsule that hold the shoulder in place may be loose
- Shoulder tendonitis inflammation and pain caused by repetitive use of the shoulder muscles when the arm is brought above the head

Tumbling routines in gymnastics subject the wrist to forces greater than twice the athlete's body weight. This can lead to overuse injuries in the hand, wrist and forearm. Tissue such as bone, cartilage or tendon can become damaged by repetitive pounding on the hands, which causes the wrist to be forcefully bent backward. Without adequate time for recovery, the tissue cannot adapt to the demands placed on it. Common wrist injuries in gymnastics include:

- Wrist sprains sudden or repetitive stretching of the ligaments in the wrist.
- Carpal stress fractures fractures to the small bones of the wrist.

Damage caused by repetitive stress in the shoulders and wrists leads to tissue inflammation that causes pain. Symptoms include: pain when performing the activity or sport, dull pain even at rest, intermittent swelling, loss of motion at the shoulder or wrist, decreasing performance.



# **GYMNASTICS SAFETY** (CONT.)

### **BACK PAIN**

Gymnastics puts a lot of demand on a young athlete's back due to repetitive maneuvers that require hyperextension of the back. Some injuries to the back occur suddenly, and are commonly known as a back strain. Others occur more gradually, especially if the body doesn't have time to recover properly. Over time, repeated hyperextension of the low back can cause:

- **Spondylolysis** a stress fracture of the bones in the lower spine, or lumbar vertebrae
- **Spondylolisthesis** the lumbar vertebrae slip forward, if an athlete with a stress fracture continues to participate in the sport

### BRUISES, BUMPS, TWISTS & MUSCLE STRAINS

These can affect all areas of the body. Recommended treatment is the **PRICE** formula:

Protect the area with a sling or crutches, If necessary.

Rest the injured area.

Ice the injury for 20 minutes at a time. Do not apply the ice directly to the skin.

C ompress the injured area with a wrap. Do not pull tightly, as this can cut off circulation.

Elevate the injured area above the heart.

#### SSM HEALTH CARDINAL GLENNON SPORTSCARE

SSM Health Cardinal Glennon SportsCare is the premier pediatric sports medicine provider in St. Louis and St. Charles. We provide exclusive, direct access to comprehensive medical care for young athletes. By working with multiple specialists and care partners, we guarantee your child will get the top care that is best suited to treat their unique injury, improving recovery time and outcome.

Specialists your child has access to through SSM Health Cardinal Glennon SportsCare include orthopedists, pulmonologists, cardiologists, radiologists, neurologists, emergency medicine physicians, adolescent medicine physicians, rehabilitation specialists, physical therapists, nutritionists and pediatric psychologists.

Partners your child has access to through SSM Health Cardinal Glennon SportsCare include SSM Health Cardinal Glennon Children's Hospital, SSM Health Orthopedics, SSM Physical Therapy and SLU*Care* Physician Group of Saint Louis University. We also keep kids in the game through educational programs and support for parents, coaches and athletes that focus on injury prevention, proper technique and overall athletic health.

For more information about SSM Health Cardinal Glennon SportsCare or to find a specialist for your athlete, call us at **314-577-5640** or visit us at **cardinalglennon.com/sportscare**.

Expert care for young athletes by SSM Health Cardinal Glennon Children's Hospital and SSM Health emergency medicine specialists, **24 hours a day in the ER** at: SSM Health DePaul Hospital, SSM Health St. Clare Hospital, SSM Health St. Joseph Hospital - Lake Saint Louis, SSM Health St. Joseph Hospital - St. Charles.



WEIGHT MANAGEMENT

Gymnasts should aim to stay close to their competition weight in the off-season in order to avoid dangerous weight-cutting practices during the competitive season. Gymnasts who desire to lose weight should not lose more than 1-2 pounds a week to avoid break down of lean body mass. Weight loss is best achieved using a combination of reducing caloric intake and increasing calories burned. Nutrition tips for good weight control include:

- Give your body energy from sources of carbohydrates, proteins and fats. Do not omit any food groups.
- Choose whole-grain foods, lean protein and healthy fats at meal times.
- Eat a balanced diet rich in fruits, vegetables and fiber.
- Drink calorie-free beverages; eat fresh fruits instead of drinking fruit juices.
- Watch your portion sizes.
- Choose low-fat dairy products.
- Do not skip meals. Eat a healthy snack if hungry in between meals.
- Limit high-calorie foods with added sugar and fat.

Web

cardinalglennon.com/**sportscare** youtube.com/ssmcardinalglennon facebook.com/cardinalglennon twitter.com/cardinalglennon